

PRODUCT DATA SHEET



MARINE 4-STROKE SEMI-SYNTHETIC ENGINE OIL

Marine 4-Stroke Semi-Synthetic Engine Oil is a premium semi-synthetic marine engine oil specifically engineered for the harsh operating conditions of the marine environment.

Marine 4-Stroke Semi-Synthetic Engine Oil utilizes the highest quality synthetic and mineral base fluids with the latest technology of marine 4-stroke additives to provide superior protection against wear, rust and corrosion and mineral deposits. Marine 4-Stroke Semi-Synthetic Engine Oil is NMMA FC-W and NMMA FC-W Catalyst Compatible® certified.

Applications

- ♦ For use in all 4 Stroke gasoline powered outboard, inboard, stern-drive (I/O) and personal watercraft motors for fresh and salt water
- ♦ For use where NMMA FC-W[®] and NMMA FC-W Catalyst Compatible[®] oils are specified
- ♦ Outboard motors including Honda, Mercury, Yamaha, Evinrude/Johnson (BRP), Suzuki, Nissan, Tohatsu
- ♦ Inboard and stern-drive (I/O) motors including Mercruiser, Volvo Penta, OMC, Chrysler Marine, Crusader, Marine Power, Chevrolet and Ford
- ♦ Personal watercraft including Honda, Yamaha, Sea-Doo (BRP) and Polaris

Features and Benefits

	J .	
*	Extreme Pressure and anti-wear	Reduced cylinder and ring and bearing wear. Extended engine life and efficiency.
♦	Marine quality rust protection	Prevents rust in the harsh marine environment for maximum engine protection.
•	Superior deposit control	Cleans existing deposits. Controls sludge and varnish formation. Keeps ring lands and grooves free of carbon.

General Description

Marine 4-Stroke Semi-Synthetic Engine Oil is formulated with the highest quality synthetic and mineral base fluids and additives to provide superior engine protection in harsh marine conditions.

Product No.	<u>99750</u>	<u>99751</u>
SAE Grade	10W-30	10W-40
NMMA Category	NMMA FC-W Catalyst Compatible®	NMMA FC-W Catalyst Compatible®
API Service Category	SM	SM

Page 1 of 1 1/3/2012

With continual research and development, Bel-Ray Company, Inc. reserves the right to change the information contained herein. The Company is not responsible for misuse or misapplication of its products.